

Cable Grips

Cat 01-2020-S3



Noremak Industries Pty Ltd
1 Ledger Road Beverley SA 5009
2 Roni Court Winnellie NT 0820
Phone 08 8244 7288 Fax 08 8244 7299
sales@noremak.com.au
www.noremak.com.au

Contents

Single Eye Capped	Galvanised Strand Alloy Ferrule	1
	Galvanised Strand Alloy Ferrule & Thimble	1
	Galvanised Strand Copper Ferrule	1
	Galvanised Strand Copper Ferrule & Galvanised Thimble	2
	Stainless Strand Copper Ferrule	2
	Stainless Strand Copper Ferrule & Stainless Thimble	2
	Stainless Strand Ferrule & Thimble	2
Single Offset Eye	Galvanised Strand Alloy Ferrule	3
	Galvanised Strand Alloy Ferrule & Galvanised Thimble	3
	Galvanised Strand Copper Ferrule	3
	Galvanised Strand Copper Ferrule & Galvanised Thimble	4
	Stainless Strand Copper Ferrule	4
	Stainless Strand Copper Ferrule & Stainless Thimble	4
	Stainless Strand Ferrule & Thimble	4
Double Eye	Galvanised Strand Alloy Ferrule	5
	Galvanised Strand Alloy Ferrule & Galvanised Thimble	5
	Galvanised Strand Alloy Ferrule	5
	Galvanised Strand Copper Ferrule & Galvanised Thimble	6
	Stainless Strand Copper Ferrule & Stainless Thimble	6
Lace Up Offset	Galvanised Strand Alloy Ferrule	7
	Galvanised Strand Alloy Ferrule & Galvanised Thimble	7
	Galvanised Strand Copper Ferrule	7
	Galvanised Strand Copper Ferrule & Galvanised Thimble	8
	Stainless Strand Copper Ferrule	8
	Stainless Strand Copper Ferrule & Stainless Thimble	8
	Stainless Strand Ferrule & Thimble	9
Lace Up Double Eye	Galvanised Strand Alloy Ferrule	9
	Galvanised Strand Alloy Ferrule & Galvanised Thimble	9
	Galvanised Strand Copper Ferrule	10
	Galvanised Strand Copper Ferrule & Galvanised Thimble	10
	Galvanised Strand Copper Ferrule	10
	Stainless Strand Copper Ferrule & Stainless Thimble	11
	Stainless Strand Ferrule & Thimble	11
Non Conductive Low Voltage	Single Eye Capped Nylon Strand Alloy Ferrule	11
Non Conductive High Voltage	Double Eye Nylon Strand Alloy Ferrule	12
Non Conductive Levlar	Single Eye Capped Nylon Strand Alloy Ferrule	12
Open Both Ends	Nylon Strand Alloy Ferrule	12

SINGLE EYE CAP

Series C1

Galvanised Strand
Alloy Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0611SE-C1	6-11mm Single Eye Cap	350	5
SC1014SE-C1	10-14mm Single Eye Cap	350	5
SC1419SE-C1	14-19mm Single Eye Cap	400	9
SC1928SE-C1	19-28mm Single Eye Cap	500	15
SC2840SE-C1	28-40mm Single Eye Cap	600	24
SC4055SE-C1	40-55mm Single Eye Cap	800	35
SC5575SE-C1	55-75mm Single Eye Cap	900	62
SC7595SE-C1	75-95mm Single Eye Cap	1000	98
SC95120SE-C1	95-120mm Single Eye Cap	1200	133
SC120150SE-C1	120-150mm Single Eye Cap	1400	187
SC150190SE-C1	150-190mm Single Eye Cap	1600	283

Series C2

Galvanised Strand
Alloy Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612SE-C2	6.0-12.0mm Single Eye Cap	350	5
SC1014SE-C2	10.0-14.0mm Single Eye Cap	350	5
SC1419SE-C2	14.0-19.0mm Single Eye Cap	400	9
SC1928SE-C2	19.0-28.0mm Single Eye Cap	500	15
SC2840SE-C2	28.0-40.0mm Single Eye Cap	600	24
SC4055SE-C2	40.0-55.0mm Single Eye Cap	800	35
SC5575SE-C2	55.0-75.0mm Single Eye Cap	900	62
SC7595SE-C2	75.0-95.0mm Single Eye Cap	1000	98
SC95120SE-C2	95.0-120.0mm Single Eye Cap	1200	133
SC120150SE-C2	120.0-150.0mm Single Eye Cap	1400	187
SC150190SE-C2	150.0-190.0mm Single Eye Cap	1600	283

Series C3

Galvanised Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1014SE-C3	10-14mm Single Eye Cap	350	5
SC1419SE-C3	14-19mm Single Eye Cap	400	9
SC1928SE-C3	19-28mm Single Eye Cap	500	15
SC2840SE-C3	28-40mm Single Eye Cap	600	24
SC4055SE-C3	40-55mm Single Eye Cap	800	35
SC5575SE-C3	55-75mm Single Eye Cap	900	62
SC7595SE-C3	75-95mm Single Eye Cap	1000	98
SC95120SE-C3	95-120mm Single Eye Cap	1200	133
SC120150SE-C3	120-150mm Single Eye Cap	1400	187
SC150190SE-C3	150-190mm Single Eye Cap	1600	283

SINGLE EYE CAP

Series C4

Galvanised Strand
Copper Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612SE-C4	6-12mm Single Eye Cap	350	5
SC1014SE-C4	10-14mm Single Eye Cap	350	5
SC1419SE-C4	14-19mm Single Eye Cap	400	9
SC1928SE-C4	19-28mm Single Eye Cap	500	15
SC2840SE-C4	28-40mm Single Eye Cap	600	24
SC4055SE-C4	40-55mm Single Eye Cap	800	35
SC5575SE-C4	55-75mm Single Eye Cap	900	62
SC7595SE-C4	75-95mm Single Eye Cap	1000	98
SC95120SE-C4	95-120mm Single Eye Cap	1200	133
SC120150SE-C4	120-150mm Single Eye Cap	1400	187
SC150190SE-C4	150-190mm Single Eye Cap	1600	283

Series C5

Stainless Steel Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1014SE-C5	10-14mm Single Eye Cap	350	4
SC1419SE-C5	14-19mm Single Eye Cap	400	7
SC1928SE-C5	19-28mm Single Eye Cap	500	12
SC2840SE-C5	28-40mm Single Eye Cap	600	19
SC4055SE-C5	40-55mm Single Eye Cap	800	27
SC5575SE-C5	55-75mm Single Eye Cap	900	48
SC7595SE-C5	75-95mm Single Eye Cap	1000	79
SC95120SE-C5	95-120mm Single Eye Cap	1200	105

Series C6

Stainless Steel Strand
Copper Ferrule
Stainless Steel Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1014SE-C6	10-14mm Single Eye Cap	350	4
SC1419SE-C6	14-19mm Single Eye Cap	400	7
SC1928SE-C6	19-28mm Single Eye Cap	500	12
SC2840SE-C6	28-40mm Single Eye Cap	600	19
SC4055SE-C6	40-55mm Single Eye Cap	800	27
SC5575SE-C6	55-75mm Single Eye Cap	900	48
SC7595SE-C6	75-95mm Single Eye Cap	1000	79
SC95120SE-C6	95-120mm Single Eye Cap	1200	105

Series C7

Stainless Steel Strand
Stainless Steel Ferrule
Stainless Steel Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0611SE-C7	6-11mm Single Eye Cap	350	4
SC1014SE-C7	10-14mm Single Eye Cap	400	7
SC1419SE-C7	14-19mm Single Eye Cap	500	12
SC1928SE-C7	19-28mm Single Eye Cap	600	19
SC2840SE-C7	28-40mm Single Eye Cap	800	27
SC4055SE-C7	40-55mm Single Eye Cap	900	48
SC5575SE-C7	55-75mm Single Eye Cap	1000	79
SC5575SE-C7	75-95mm Single Eye Cap	1200	105

OFFSET EYE

Series 01

Galvanised Strand
Alloy Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612SE-01	6-12mm Offset Eye	350	5
SC1014SE-01	10-14mm Offset Eye	350	5
SC1419SE-01	14-19mm Offset Eye	400	9
SC1928SE-01	19-28mm Offset Eye	500	15
SC2840SE-01	28-40mm Offset Eye	600	24
SC4055SE-01	40-55mm Offset Eye	800	35
SC5575SE-01	55-75mm Offset Eye	900	62
SC7595SE-01	75-95mm Offset Eye	1000	98
SC95120SE-01	95-120mm Offset Eye	1200	133
SC120150SE-01	120-150mm Offset Eye	1400	187
SC150190SE-01	150-190mm Offset Eye	1600	283

Series 02

Galvanised Strand
Alloy Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612SE-02	6-12mm Offset Eye	350	5
SC1014SE-02	10-14mm Offset Eye	350	5
SC1419SE-02	14-19mm Offset Eye	400	9
SC1928SE-02	19-28mm Offset Eye	500	15
SC2840SE-02	28-40mm Offset Eye	600	24
SC4055SE-02	40-55mm Offset Eye	800	35
SC5575SE-02	55-75mm Offset Eye	900	62
SC7595SE-02	75-95mm Offset Eye	1000	98
SC95120SE-02	95-120mm Offset Eye	1200	133
SC120150SE-02	120-150mm Offset Eye	1400	187
SC150190SE-02	150-190mm Offset Eye	1600	283

Series 03

Galvanised Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612SE-03	6-12mm Offset Eye	350	5
SC1014SE-03	10-14mm Offset Eye	350	5
SC1419SE-03	14-19mm Offset Eye	400	5
SC1928SE-03	19-28mm Offset Eye	500	9
SC2840SE-03	28-40mm Offset Eye	600	15
SC4055SE-03	40-55mm Offset Eye	800	24
SC5575SE-03	55-75mm Offset Eye	900	35
SC7595SE-03	75-95mm Offset Eye	1000	62
SC95120SE-03	95-120mm Offset Eye	1200	98
SC120150SE-03	120-150mm Offset Eye	1400	133
SC150190SE-03	150-190mm Offset Eye	1600	187

Noremak Industries Pty Ltd

1 Ledger Road Beverley SA 5009 * 2 Roni Court Winnellie NT 0820

Ph 08 8244 7288 Fax 08 8244 7299

sales@noremak.com.au www.noremak.com.au

OFFSET EYE

Series 04

Galvanised Strand
Copper Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1014-04	10-14mm Offset Eye	350	5
SC1419-04	14-19mm Offset Eye	400	9
SC1928-04	19-28mm Offset Eye	500	15
SC2840-04	28-40mm Offset Eye	600	24
SC4055-04	40-55mm Offset Eye	800	35
SC5575-04	55-75mm Offset Eye	900	62
SC7595-04	75-95mm Offset Eye	1000	98
SC95120-04	95-120mm Offset Eye	1200	133

Series 05

Stainless Steel Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612-05	6-12mm Offset Eye	350	4
SC1014-05	10-14mm Offset Eye	350	4
SC1419-05	14-19mm Offset Eye	400	7
SC1928-05	19-28mm Offset Eye	500	12
SC2840-05	28-40mm Offset Eye	600	19
SC4055-05	40-55mm Offset Eye	800	27
SC5575-05	55-75mm Offset Eye	900	48
SC7595-05	75-95mm Offset Eye	1000	79
SC95120-05	95-120mm Offset Eye	1200	105

Series 06

Stainless Steel Strand
Copper Ferrule
Stainless Steel Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612-06	6-12mm Offset Eye	350	4
SC1014-06	10-14mm Offset Eye	350	4
SC1419-06	14-19mm Offset Eye	400	7
SC1928-06	19-28mm Offset Eye	500	12
SC2840-06	28-40mm Offset Eye	600	19
SC4055-06	40-55mm Offset Eye	800	27
SC5575-06	55-75mm Offset Eye	900	48
SC7595-06	75-95mm Offset Eye	1000	79
SC95120-06	95-120mm Offset Eye	1200	105

Series 07

Stainless Steel Strand
Stainless Steel Ferrule
Stainless Steel Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612-07	6-12mm Offset Eye	350	4
SC1014-07	10-14mm Offset Eye	350	4
SC1419-07	14-19mm Offset Eye	400	7
SC1928-07	19-28mm Offset Eye	500	12
SC2840-07	28-40mm Offset Eye	600	19
SC4055-07	40-55mm Offset Eye	800	27
SC5575-07	55-75mm Offset Eye	900	48
SC7595-07	75-95mm Offset Eye	1000	79

DOUBLE EYE

Series D1

Galvanised Strand
Alloy Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612DE-D1	6-12mm Offset Eye	350	5
SC1014DE-D1	10-14mm Offset Eye	350	5
SC1419DE-D1	14-19mm Offset Eye	400	9
SC1928DE-D1	19-28mm Offset Eye	500	15
SC2840DE-D1	28-40mm Offset Eye	600	24
SC4055DE-D1	40-55mm Offset Eye	800	35
SC5575DE-D1	55-75mm Offset Eye	900	62
SC7595DE-D1	75-95mm Offset Eye	1000	98
SC95120DE-D1	95-120mm Offset Eye	1200	133
SC120150DE-D1	120-150mm Offset Eye	1400	187
SC150190DE-D1	150-190mm Offset Eye	1600	283

Series D2

Galvanised Strand
Alloy Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612DE-D2	6-12mm Offset Eye	350	5
SC1014DE-D2	10-14mm Offset Eye	350	5
SC1419DE-D2	14-19mm Offset Eye	400	9
SC1928DE-D2	19-28mm Offset Eye	500	15
SC2840DE-D2	28-40mm Offset Eye	600	24
SC4055DE-D2	40-55mm Offset Eye	800	35
SC5575DE-D2	55-75mm Offset Eye	900	62
SC7595DE-D2	75-95mm Offset Eye	1000	98
SC95120DE-D2	95-120mm Offset Eye	1200	133
SC120150DE-D2	120-150mm Offset Eye	1400	187
SC150190DE-D2	150-190mm Offset Eye	1600	283

Series D3

Galvanised Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612DE-D3	6-12mm Offset Eye	350	5
SC1014DE-D3	10-14mm Offset Eye	350	5
SC1419DE-D3	14-19mm Offset Eye	400	9
SC1928DE-D3	19-28mm Offset Eye	500	15
SC2840DE-D3	28-40mm Offset Eye	600	24
SC4055DE-D3	40-55mm Offset Eye	800	35
SC5575DE-D3	55-75mm Offset Eye	900	62
SC7595DE-D3	75-95mm Offset Eye	1000	98
SC95120DE-D3	95-120mm Offset Eye	1200	133
SC120150DE-D3	120-150mm Offset Eye	1400	187
SC150190DE-D3	150-190mm Offset Eye	1600	283

Noremak Industries Pty Ltd

1 Ledger Road Beverley SA 5009 * 2 Roni Court Winnellie NT 0820

Ph 08 8244 7288 Fax 08 8244 7299

sales@noremak.com.au www.noremak.com.au

DOUBLE EYE

Series 11

Galvanised Strand
Copper Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612-11	6-12mm Offset Eye	350	5
SC1014-12	10-14mm Offset Eye	350	5
SC1419-12	14-19mm Offset Eye	400	9
SC1928-12	19-28mm Offset Eye	500	15
SC2840-12	28-40mm Offset Eye	600	24
SC4055-12	40-55mm Offset Eye	800	35
SC5575-12	55-75mm Offset Eye	900	62
SC7595-12	75-95mm Offset Eye	1000	98
SC95120-12	95-120mm Offset Eye	1200	133
SC120150-12	120-150mm Offset Eye	1400	187
SC150190-12	150-190mm Offset Eye	1600	283

Series 12

Stainless Steel Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612-12	6-12mm Offset Eye	350	4
SC1014-12	10-14mm Offset Eye	350	4
SC1419-12	14-19mm Offset Eye	400	7
SC1928-12	19-28mm Offset Eye	500	12
SC2840-12	28-40mm Offset Eye	600	19
SC4055-12	40-55mm Offset Eye	800	27
SC5575-12	55-75mm Offset Eye	900	48
SC7595-12	75-95mm Offset Eye	1000	79
SC95120-12	95-120mm Offset Eye	1200	105
SC120150-12	120-150mm Offset Eye	1400	147
SC150190-12	150-190mm Offset Eye	1600	225

Series 10

Stainless Steel Strand
Copper Ferrule
Stainless Steel Thimble




Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC0612-10	6-12mm Offset Eye	350	4
SC1014-10	10-14mm Offset Eye	350	4
SC1419-10	14-19mm Offset Eye	400	7
SC1928-10	19-28mm Offset Eye	500	12
SC2840-10	28-40mm Offset Eye	600	19
SC4055-10	40-55mm Offset Eye	800	27
SC5575-10	55-75mm Offset Eye	900	48
SC7595-10	75-95mm Offset Eye	1000	79
SC95120-10	95-120mm Offset Eye	1200	105
SC120150-10	120-150mm Offset Eye	1400	147
SC150190-10	150-190mm Offset Eye	1600	225

LACE UP OFFSET

Series LU1

Galvanised Strand
Alloy Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LU1	14-19mm Offset Eye	500	9
SC1928-LU1	19-28mm Offset Eye	600	15
SC2840-LU1	28-40mm Offset Eye	800	24
SC4055-LU1	40-55mm Offset Eye	900	35
SC5575-LU1	55-75mm Offset Eye	1000	62
SC7595-LU1	75-95mm Offset Eye	1200	98
SC95120-LU1	95-120mm Offset Eye	1400	98
SC120150-LU1	120-150mm Offset Eye	1600	141
SC150190-LU1	150-190mm Offset Eye	1800	141

Series LU2


Galvanised Strand
Alloy Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LU2	14-19mm Offset Eye	500	9
SC1928-LU2	19-28mm Offset Eye	600	15
SC2840-LU2	28-40mm Offset Eye	800	24
SC4055-LU2	40-55mm Offset Eye	900	35
SC5575-LU2	55-75mm Offset Eye	1000	62
SC7595-LU2	75-95mm Offset Eye	1200	98
SC95120-LU2	95-120mm Offset Eye	1400	98
SC120150-LU2	120-150mm Offset Eye	1600	141
SC150190-LU2	150-190mm Offset Eye	1800	141

Series LU3

Galvanised Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LU2	14-19mm Offset Eye	500	9
SC1928-LU2	19-28mm Offset Eye	600	15
SC2840-LU2	28-40mm Offset Eye	800	24
SC4055-LU2	40-55mm Offset Eye	900	35
SC5575-LU2	55-75mm Offset Eye	1000	62
SC7595-LU2	75-95mm Offset Eye	1200	98
SC95120-LU2	95-120mm Offset Eye	1400	98
SC120150-LU2	120-150mm Offset Eye	1600	141
SC150190-LU2	150-190mm Offset Eye	1800	141

LACE UP OFFSET

Series LU4


Galvanised Strand
Copper Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LU4	14-19mm Offset Eye	500	9
SC1928-LU4	19-28mm Offset Eye	600	15
SC2840-LU4	28-40mm Offset Eye	800	24
SC4055-LU4	40-55mm Offset Eye	900	35
SC5575-LU4	55-75mm Offset Eye	1000	62
SC7595-LU4	75-95mm Offset Eye	1200	98
SC95120-LU4	95-120mm Offset Eye	1400	98
SC120150-LU4	120-150mm Offset Eye	1600	141
SC150190-LU4	150-190mm Offset Eye	1800	141

Series LU5

Stainless Steel Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LU5	14-19mm Offset Eye	500	7
SC1928-LU5	19-28mm Offset Eye	600	12
SC2840-LU5	28-40mm Offset Eye	800	19
SC4055-LU5	40-55mm Offset Eye	900	27
SC5575-LU5	55-75mm Offset Eye	1000	48
SC7595-LU5	75-95mm Offset Eye	1200	79
SC95120-LU5	95-120mm Offset Eye	1400	79
SC120150-LU5	120-150mm Offset Eye	1600	112
SC150190-LU5	150-190mm Offset Eye	1800	112

Series LU6

Stainless Steel Strand
Copper Ferrule
Stainless Steel Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LU6	14-19mm Offset Eye	500	7
SC1928-LU6	19-28mm Offset Eye	600	12
SC2840-LU6	28-40mm Offset Eye	800	19
SC4055-LU6	40-55mm Offset Eye	900	27
SC5575-LU6	55-75mm Offset Eye	1000	48
SC7595-LU6	75-95mm Offset Eye	1200	79
SC95120-LU6	95-120mm Offset Eye	1400	79
SC120150-LU6	120-150mm Offset Eye	1600	112
SC150190-LU6	150-190mm Offset Eye	1800	112

LACE UP OFFSET cont.

Series LU7

Stainless Steel Strand
Stainless Steel Ferrule
Stainless Steel Thimble




Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LU6	14-19mm Offset Eye	500	7
SC1928-LU6	19-28mm Offset Eye	600	12
SC2840-LU6	28-40mm Offset Eye	800	19
SC4055-LU6	40-55mm Offset Eye	900	27
SC5575-LU6	55-75mm Offset Eye	1000	48
SC7595-LU6	75-95mm Offset Eye	1200	79
SC95120-LU6	95-120mm Offset Eye	1400	79
SC120150-LU6	120-150mm Offset Eye	1600	112
SC150190-LU6	150-190mm Offset Eye	1800	112

LACE UP DOUBLE EYE

Series LUD1

Galvanised Strand
Alloy Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LUD1	14-19mm Double Eye	500	9
SC1928-LUD1	19-28mm Double Eye	600	15
SC2840-LUD1	28-40mm Double Eye	800	24
SC4055-LUD1	40-55mm Double Eye	900	35
SC5575-LUD1	55-75mm Double Eye	1000	62
SC7595-LUD1	75-95mm Double Eye	1200	98
SC95120-LUD1	95-120mm Double Eye	1400	133
SC120150-LUD1	120-150mm Double Eye	1600	187
SC150190-LUD1	150-190mm Double Eye	1800	283

Series LUD2

Galvanised Strand
Alloy Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LUD2	14-19mm Double Eye	500	9
SC1928-LUD2	19-28mm Double Eye	600	15
SC2840-LUD2	28-40mm Double Eye	800	24
SC4055-LUD2	40-55mm Double Eye	900	35
SC5575-LUD2	55-75mm Double Eye	1000	62
SC7595-LUD2	75-95mm Double Eye	1200	98
SC95120-LUD2	95-120mm Double Eye	1400	133
SC120150-LUD2	120-150mm Double Eye	1600	187
SC150190-LUD2	150-190mm Double Eye	1800	283

Noremak Industries Pty Ltd

1 Ledger Road Beverley SA 5009 * 2 Roni Court Winnellie NT 0820

Ph 08 8244 7288 Fax 08 8244 7299

sales@noremak.com.au www.noremak.com.au

LACE UP DOUBLE EYE

Series LUD3

Galvanised Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LUD3	14-19mm Double Eye	500	9
SC1928-LUD3	19-28mm Double Eye	600	15
SC2840-LUD3	28-40mm Double Eye	800	24
SC4055-LUD3	40-55mm Double Eye	900	35
SC5575-LUD3	55-75mm Double Eye	1000	62
SC7595-LUD3	75-95mm Double Eye	1200	98
SC95120-LUD3	95-120mm Double Eye	1400	133
SC120150-LUD3	120-150mm Double Eye	1600	187
SC150190-LUD3	150-190mm Double Eye	1800	283

Series LUD4

Galvanised Strand
Copper Ferrule
Galvanised Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LUD4	14-19mm Double Eye	500	9
SC1928-LUD4	19-28mm Double Eye	600	15
SC2840-LUD4	28-40mm Double Eye	800	24
SC4055-LUD4	40-55mm Double Eye	900	35
SC5575-LUD4	55-75mm Double Eye	1000	62
SC7595-LUD4	75-95mm Double Eye	1200	98
SC95120-LUD4	95-120mm Double Eye	1400	133
SC120150-LUD4	120-150mm Double Eye	1600	187
SC150190-LUD4	150-190mm Double Eye	1800	283

Series LUD5

Stainless Steel Strand
Copper Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LUD5	14-19mm Double Eye	500	7
SC1928-LUD5	19-28mm Double Eye	600	12
SC2840-LUD5	28-40mm Double Eye	800	19
SC4055-LUD5	40-55mm Double Eye	900	27
SC5575-LUD5	55-75mm Double Eye	1000	48
SC7595-LUD5	75-95mm Double Eye	1200	79
SC95120-LUD5	95-120mm Double Eye	1400	79
SC120150-LUD5	120-150mm Double Eye	1600	112
SC150190-LUD5	150-190mm Double Eye	1800	112

LACE UP DOUBLE EYE

Series LUD6

Stainless Steel Strand
Copper Ferrule
Stainless Steel Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LUD6	14-19mm Double Eye	500	7
SC1928-LUD6	19-28mm Double Eye	600	12
SC2840-LUD6	28-40mm Double Eye	800	19
SC4055-LUD6	40-55mm Double Eye	900	27
SC5575-LUD6	55-75mm Double Eye	1000	48
SC7595-LUD6	75-95mm Double Eye	1200	79
SC95120-LUD6	95-120mm Double Eye	1400	79
SC120150-LUD6	120-150mm Double Eye	1600	112
SC150190-LUD6	150-190mm Double Eye	1800	112

Series LUD7

Stainless Steel Strand
Stainless Steel Ferrule
Stainless Steel Thimble



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-LUD7	14-19mm Double Eye	500	7
SC1928-LUD7	19-28mm Double Eye	600	12
SC2840-LUD7	28-40mm Double Eye	800	19
SC4055-LUD7	40-55mm Double Eye	900	27
SC5575-LUD7	55-75mm Double Eye	1000	48
SC7595-LUD7	75-95mm Double Eye	1200	79
SC95120-LUD7	95-120mm Double Eye	1400	79
SC120150-LUD7	120-150mm Double Eye	1600	112
SC150190-LUD7	150-190mm Double Eye	1800	112

Non Conductive Low Voltage

Series NC1

Nylon Strand
Alloy Ferrule



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-NC1	14-19mm Double Eye	600	15
SC1928-NC1	19-28mm Double Eye	600	15
SC2030-NC1	20-30mm Double Eye	600	15
SC2040-NC1S	20-40mm Double Eye Short	600	25
SC2040-NC1	30-50mm Double Eye	800	25
SC3050-NC1	30-50mm Double Eye	800	25

NON CONDUCTIVE HIGH VOLTAGE

Series HV

Nylon Strand
Alloy Ferrule
Soft Eye



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC4055-HV1	40-55mm Double Eye	800	25
SC5065-HV1	50-65mm Double Eye	800	25
SC2840-HV1	55-75mm Double Eye	900	31

NON CONDUCTIVE KEVLAR

Series K1

Nylon Strand
Alloy Ferrule
Soft Eye



Product Code	Size Range/Style	Grip Length (mm)	Tensile Strength (kN)
SC1419-K1	6-11mm Single Eye Cap	350	12
SC1014-K1	10-14mm Single Eye Cap	350	12
SC1419-K1	14-19mm Single Eye Cap	400	12
SC1928-K1	19-28mm Single Eye Cap	500	18
SC2840-K1	28-40mm Single Eye Cap	600	30
SC4055-K1	40-55mm Single Eye Cap	800	36
SC5575-K1	55-75mm Single Eye Cap	900	53
SC7595-K1	75-95mm Single Eye Cap	1000	70
SC95120-K1	95-120mm Single Eye Cap	1200	105

OPEN BOTH ENDS

Series T1

Nylon Strand
Alloy Ferrule
Soft Eye



Product Code	Size Range/Style
SC1014-T1	10-14mm Open Both Ends
SC1419-T1	14-19mm Open Both Ends
SC1928-T1	19-28mm Open Both Ends
SC2840-T1	28-40mm Open Both Ends
SC4055-T1	40-55mm Open Both Ends
SC5575-T1	55-75mm Open Both Ends

Also Available In Stainless Steel Add "SS" To end of Part No



Noremak Industries Pty Ltd
Adelaide And Darwin

Adelaide:
1 Ledger Road Beverley SA 5009

Darwin:
2 Roni Court Winnellie NT 0820

PH 08 8244 7288 Fax 08 8244 7299

sales@noremak.com.au
www.noremak.com.au